This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

- 44. (Amended) A molded resin article wherein its surface layer is modified with a medicinal activity organic compound having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 to impart a medicinal activity function to the surface layer.
- 45. (Amended) A molded resin article wherein its surface layer is modified with an organic compound having sublimation properties and an affinity for a resin of the molded resin article to be coated, and assuming a physiological activity to an animal/plant, by the modification method of the resin surface layer according to claim 1 to impart a function as an agricultural chemical to a surface layer.

REMARKS

Claims 1-15, 17-20, and 22-45 are pending. Claims 13, 14, 19, 20, 24-26, 30, 32, 34, 36, 38 and 40-45 are amended to eliminate multiple dependencies. Prompt and favorable consideration on the merits is respectfully requested.

The attached Appendix includes marked-up copies of each rewritten claim (37 C.F.R. §1.121(c)(1)(ii)).

Respectfully submitted,

James A. Oliff

Registration No. 27,075

Thomas J. Pardini

Registration No. 30,411

JAO:TJP/zmc

Attached: APPENDIX Date: August 10, 2001

OLIFF & BERRIDGE, PLC P.O. Box 19928 Alexandria, Virginia 22320 Telephone: (703) 836-6400 DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461

APPENDIX

Changes to Claims:

The following are marked-up versions of the amended claims:

13. (Amended) The modification method of the resin surface layer according to claim 5any one of claims 5, 6, 7, 8, 9, 10, 11 and 12 wherein:

the vapor of the organic compound is uniformly deposited on the surface of the molded resin article; and

in order to allow the deposited organic compound to penetrate/disperse from the surface of the molded resin article into its inside,

the temperature of the molded resin article is raised up to a temperature which is equal to or higher than a glass transition temperature of the resin and which does not exceed the thermal decomposition temperature of the organic compound and/or the resin.

14. (Amended) The modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 wherein:

a dyestuff having the sublimation properties and the affinity for the resin of the molded resin article to be coated is used as the organic compound to modify and simultaneously color the surface layer of the molded resin article.

19. (Amended) The modification apparatus for the resin surface layer according to claim 17either one of claims 17 and 18 which further contains:

a stirring mechanism for stirring the molded resin article of a powder form.

20. (Amended) The modification apparatus for the resin surface layer according to claim 17either one of claims 17 and 18 which further contains:

a wind-up mechanism for winding up the molded resin article of a form selected from a textile form, a fiber form and a film form around a reception side reel from a supply side reel under reduced pressure.

- 24. (Amended) The coloring apparatus for the resin surface layer according to claim 22either one of claims 22 and 23 which further contains:
 - a stirring mechanism for stirring the molded resin article of a powder form.
- 25. (Amended) The coloring apparatus for the resin surface layer according to claim 22either one of claims 22 and 23 which further contains:

a wind-up mechanism for winding up the molded resin article of a form selected from a textile form, a fiber form and a film form around a reception side reel from a supply side reel under reduced pressure.

- 26. (Amended) A molded resin article wherein its surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.
- 30. (Amended) A plastic lens wherein its surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.
- 32. (Amended) A resin coat lens wherein its resin surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.
- 34. (Amended) A plastic film wherein its surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.
- 36. (Amended) A fiber wherein its surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.
- 38. (Amended) A plastic optical fiber wherein its surface layer is modified by the modification method of the resin surface layer according to claim 1 any one of claims 1.

4.2

2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12.

- 40. (Amended) A molded resin article wherein its surface layer is modified with a fluorescent dyestuff having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to impart a fluorescent light emitting function to the surface layer.
- 41. (Amended) A molded resin article wherein its surface layer is modified with a photochromic dyestuff having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to impart a photochromic function to the surface layer.
- 42. (Amended) A molded resin article wherein its surface layer is modified with an organic metal compound having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to impart an X ray and/or electron ray and/or ray absorption function to the surface layer.
- 43. (Amended) A molded resin article wherein its surface layer is modified with an antibacterial or antifungal agent having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to impart an antibacterial or antifungal function to the surface layer.
- 44. (Amended) A molded resin article wherein its surface layer is modified with a medicinal activity organic compound having sublimation properties and an affinity for a resin of the molded resin article to be coated, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to

impart a medicinal activity function to the surface layer.

45. (Amended) A molded resin article wherein its surface layer is modified with an organic compound having sublimation properties and an affinity for a resin of the molded resin article to be coated, and assuming a physiological activity to an animal/plant, by the modification method of the resin surface layer according to claim 1 any one of claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 to impart a function as an agricultural chemical to a surface layer.